

ACM Digital Library

[> home](#) [> about](#) [> feedback](#) [> login](#)

US Patent &amp; Trademark Office

Try the *new* Portal design  
Give us your opinion after using it

## Search Results

Search Results for: [results reports&lt;AND&gt;((result&lt;AND&gt;((report&lt;AND&gt;((xml AND data AND base AND control) )) )) )]

Found 19 of 122,783 searched.

Search within Results

[> Search Help/Tips](#)[> Advanced Search](#)Sort by: [Title](#) [Publication](#) [Publication Date](#) [Score](#) [Binder](#)Results 1 - 19 of 19 [short listing](#)

- 1 [Enterprise data management in research organizations: \*data the way you want it\*](#) 80%  
 M. Brian Blake  
**Proceedings of the 2003 conference on Diversity in computing** October 2003  
Raw data and processed information are essential to organizations that perform operational analysis and build simulation systems. In such domains, the dissemination and management of this information is a daunting task. Not only must this data support a heterogeneous array of researchers, but also the requirements on this data are constantly changing. To achieve maximum utility, data of this sort must be made available in distributed locations and offered in various custom formats. Such approach ...
- 2 [Software analysis and model checking: Eliminating redundancies with a "composition with adaptation" meta-programming technique](#) 77%  
 Stan Jarzabek , Li Shubiao  
**Proceedings of the 9th European software engineering conference held jointly with 10th ACM SIGSOFT international symposium on Foundations of software engineering** September 2003  
Redundant code obstructs program understanding and contributes to high maintenance costs. While most experts agree on that, opinions - on how serious the problem of redundancies really is and how to tackle it - differ. In this paper, we present the study of redundancies in the Java Buffer library, JDK 1.4.1, which was recently released by Sun. We found that at least 68% of code in the Buffer library is redundant in the sense that it recurs in many classes in the same or slightly modified form. W ...
- 3 [Assurance in life/nation critical endeavors: Biometrics or ... biohazards?](#) 77%  
 John Michael Williams  
**Proceedings of the 2002 workshop on New security paradigms** September 2002

IPSE DIXIT Biometrics as an array of deployable technologies presumes an elaborate infrastructure, including underlying science that justifies its claims of detection, classification, identification and authentication of individual human identities; particularly of those who are runaways, illegal immigrants, fugitives, criminals, terrorists, and so on. This will now too often be literally a matter of life and death, both for the public and the individuals identified. The "New Security Paradigm" em ...

- 4 Automatic metadata creation: Automated semantic annotation and retrieval based on sharable ontology and case-based learning techniques 77%



Von-Wun Soo , Chen-Yu Lee , Chung-Cheng Li , Shu Lei Chen , Ching-chih Chen

**Proceedings of the third ACM/IEEE-CS joint conference on Digital libraries** May 2003

Effective information retrieval (IR) using domain knowledge and semantics is one of the major challenges in IR. In this paper we propose a framework that can facilitate image retrieval based on a sharable domain ontology and thesaurus. In particular, case-based learning (CBL) using a natural language phrase parser is proposed to convert a natural language query into resource description framework (RDF) format, a semantic-web standard of metadata description that supports machine readable semanti ...

- 5 Full papers: A case study in software adaptation 77%



Giuseppe Valetto , Gail Kaiser

**Proceedings of the first workshop on Self-healing systems** November 2002

We attach a feedback-control-loop infrastructure to an existing target system, to continually monitor and dynamically adapt its activities and performance. (This approach could also be applied to "new" systems, as an alternative to "building in" adaptation facilities, but we do not address that here.) Our infrastructure consists of multiple layers, with the objectives of 1. probing, measuring and reporting of activity and state during the execution of the target system among its components and c ...

- 6 Industry track papers and presentations: product lines: Integrating hundred's of products through one architecture: the industrial IT architecture 77%



Lars G. Bratthall , Robert van der Geest , Holger Hofmann , Edgar Jellum , Zbigniew Korendo , Robert Martinez , Michal Orkisz , Christian Zeidler , Johan S Andersson

**Proceedings of the 24th international conference on Software engineering** May 2002

During the last few years, software product line engineering has gained significant interest as a way for creating software products faster and cheaper. But what architecture is needed to integrate huge amounts of products, from different product lines? This paper describes such an architecture and its support processes and tools. Through cases, it is illustrated how the architecture is used to integrate new --- and old --- products in such diverse integration projects as vessel motion control, ...

- 7 Special issue on the PAPA 2002 workshop: Performance study of dispatching algorithms in multi-tier web architectures 77%



Mauro Andreolini , Michele Colajanni , Ruggero Morselli

**ACM SIGMETRICS Performance Evaluation Review** September 2002

Volume 30 Issue 2

The number and heterogeneity of requests to Web sites are increasing also because the Web technology is becoming the preferred interface for information systems. Many systems hosting current Web sites are complex architectures composed by multiple server layers with strong

scalability and reliability issues. In this paper we compare the performance of several combinations of centralized and distributed dispatching algorithms working at the first and second layer, and using different levels of st ...

8 Practical extraction techniques for Java

77%



Frank Tip , Peter F. Sweeney , Chris Laffra , Aldo Eisma , David Streeter

**ACM Transactions on Programming Languages and Systems (TOPLAS)** November 2002

Volume 24 Issue 6

Reducing application size is important for software that is distributed via the internet, in order to keep download times manageable, and in the domain of embedded systems, where applications are often stored in (Read-Only or Flash) memory. This paper explores extraction techniques such as the removal of unreachable methods and redundant fields, inlining of method calls, and transformation of the class hierarchy for reducing application size. We implemented a number of extraction techniques in < ...

9 Software and document engineering: The relevance of software documentation, tools and technologies: a survey

77%



Andrew Forward , Timothy C. Lethbridge

**Proceedings of the 2002 ACM symposium on Document engineering** November 2002

This paper highlights the results of a survey of software professionals. One of the goals of this survey was to uncover the perceived relevance (or lack thereof) of software documentation, and the tools and technologies used to maintain, verify and validate such documents. The survey results highlight the preferences for and aversions against software documentation tools. Participants agree that documentation tools should seek to better extract knowledge from core resources. These resources incl ...

10 Advanced XML technologies and applications: Honey, I shrunk the XQuery!: an XML algebra optimization approach

77%



Xin Zhang , Bradford Pilech , Elke A. Rundesnteiner

**Proceedings of the fourth international workshop on Web information and data management** November 2002

A lot of work is being done in the database community on mapping of XML data into and out of relational database systems, specifically, the query processing over such data using XQuery. We discuss our solution, the XML Algebra Tree (XAT), as part of our larger XML management system called Rainbow. Rainbow uses XQuery to describe the loading and extracting of XML data into relational systems and also for the execution of queries against pre-defined XML views of that stored data. The XML algebra tr ...

11 Information retrieval: Knowledge-based extraction of named entities

77%



Jamie Callan , Teruko Mitamura

**Proceedings of the eleventh international conference on Information and knowledge management** November 2002

The usual approach to named-entity detection is to learn extraction rules that rely on linguistic, syntactic, or document format patterns that are consistent across a set of documents. However, when there is no consistency among documents, it may be more effective to learn document-specific extraction rules. This paper presents a knowledge-based approach to learning rules for named-entity extraction. Document-specific extraction rules are created using

a generate-and-test paradigm and a database ...

- 12 Supporting structured credentials and sensitive policies through interoperable strategies for automated trust negotiation 77%



Ting Yu , Marianne Winslett , Kent E. Seamons

**ACM Transactions on Information and System Security (TISSEC)** February 2003

Volume 6 Issue 1

Business and military partners, companies and their customers, and other closely cooperating parties may have a compelling need to conduct sensitive interactions on line, such as accessing each other's local services and other local resources. Automated trust negotiation is an approach to establishing trust between parties so that such interactions can take place, through the use of access control policies that specify what combinations of digital credentials a stranger must disclose to gain acc ...

- 13 Technical Papers: Applying natural language processing (NLP) based metadata extraction to automatically acquire user preferences 77%



Woojin Paik , Sibel Yilmazel , Eric Brown , Maryjane Poulin , Stephane Dubon , Christophe Amice

**Proceedings of the international conference on Knowledge capture** October 2001

This paper describes a metadata extraction technique based on natural language processing (NLP) which extracts personalized information from email communications between financial analysts and their clients. Personalized means connecting users with content in a personally meaningful way to create, grow, and retain online relationships. Personalization often results in the creation of user profiles that store individuals' preferences regarding goods or services offered by various e-commerce merch ...

- 14 Highly personalized information delivery to mobile clients 77%



Bahattin Ozen , Ozgur Kilic , Mehmet Altinel , Asuman Dogac

**Proceedings of the 2nd ACM international workshop on Data engineering for wireless and mobile access** May 2001

The inherent limitations of mobile devices necessitate information to be delivered to mobile clients to be highly personalized according to their profiles. This information may be coming from a variety of resources like Web servers, company intranets, email servers. A critical issue for such systems is scalability, that is, the performance of the system should be in acceptable limits when the number of users increases dramatically. Another important issue is being able to express highly perso ...

- 15 On supporting containment queries in relational database management systems 77%



Chun Zhang , Jeffrey Naughton , David DeWitt , Qiong Luo , Guy Lohman


**ACM SIGMOD Record , Proceedings of the 2001 ACM SIGMOD international conference on Management of data** May 2001

Volume 30 Issue 2


Virtually all proposals for querying XML include a class of query we term "containment queries". It is also clear that in the foreseeable future, a substantial amount of XML data will be stored in relational database systems. This raises the question of how to support these containment queries. The inverted list technology that underlies much of Information

Retrieval is well-suited to these queries, but should we implement this technology (a) in a separate loosely-coupled IR engine ...


- 16 XML query forms (XQForms): declarative specification of XML query interfaces 77%

 Michalis Petropoulos , Vasilis Vassalos , Yannis Papakonstantinou  
**Proceedings of the tenth international conference on World Wide Web** April 2001


- 17 PERSIVAL, a system for personalized search and summarization over multimedia healthcare 77%

 information  
Kathleen R. McKeown , Shih-Fu Chang , James Cimino , Steven Feiner , Carol Friedman , Luis Gravano , Vasileios Hatzivassiloglou , Steven Johnson , Desmond A. Jordan , Judith L. Klavans , André Kushniruk , Vimla Patel , Simone Teufel  
**Proceedings of the first ACM/IEEE-CS joint conference on Digital libraries** January 2001  
In healthcare settings, patients need access to online information that can help them understand their medical situation. Physicians need information that is clinically relevant to an individual patient. In this paper, we present our progress on developing a system, PERSIVAL, that is designed to provide personalized access to a distributed patient care digital library. Using the secure, online patient records at New York Presbyterian Hospital as a user model, PERSIVAL's components tailor s ...

- 18 Modeling languages versus matrix generators for linear programming 77%

 Robert Fourer  
**ACM Transactions on Mathematical Software (TOMS)** June 1983  
Volume 9 Issue 2

- 19 Practical experience with an application extractor for Java 77%

 Frank Tip , Chris Laffra , Peter F. Sweeney , David Streeter  
**ACM SIGPLAN Notices , Proceedings of the 1999 ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications** October 1999  
Volume 34 Issue 10  
Java programs are routinely transmitted over low-bandwidth network connections as compressed class file archives (i.e., zip files and jar files). Since archive size is directly proportional to download time, it is desirable for applications to be as small as possible. This paper is concerned with the use of program transformations such as removal of dead methods and fields, inlining of method calls, and simplification of the class hierarchy for reducing application size. Such &ldquo;extract ...

---

Results 1 - 19 of 19    [short listing](#)

---

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2003 ACM, Inc.

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)
[Membership](#) [Publications/Services](#) [Standards](#) [Conferences](#) [Careers/Jobs](#)
**IEEE Xplore**  
RELEASE 1.5

 Welcome  
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#) [Quick Links](#)

→ Search

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Print Format

Your search matched **19** of **985444** documents.

A maximum of **19** results are displayed, **15** to a page, sorted by **Relevance** in **descending** order. You may refine your search by editing the current search expression or entering a new one the text. Then click **Search Again**.


**Results:**Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD**

### 1 Concurrency control in XML document databases: XPath locking proto

*Kuen-Fang Jea; Shih-Ying Chen; Sheng-Hsien Wang;*

 Parallel and Distributed Systems, 2002. Proceedings. Ninth International Confer  
 , 17-20 Dec. 2002

Page(s): 551 -556

[\[Abstract\]](#) [\[PDF Full-Text \(413 KB\)\]](#) **IEEE CNF**

### 2 Mapping DTDs to object-oriented schemas

*Yangjun Chen; McFadyen, R.; Fungyee Chan;*

 Web Information Systems Engineering, 2001. Proceedings of the Second Intern.  
 Conference on , Volume: 1 , 3-6 Dec. 2001

Page(s): 161 -170 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(906 KB\)\]](#) **IEEE CNF**

### 3 Path locks for XML document collaboration

*Dekeyser, S.; Hidders, J.;*

 Web Information Systems Engineering, 2002. WISE 2002. Proceedings of the TI  
 International Conference on , 12-14 Dec. 2002

Page(s): 105 -114

[\[Abstract\]](#) [\[PDF Full-Text \(817 KB\)\]](#) **IEEE CNF**

### 4 Implementation issues of a deterministic transformation system for structured document query optimization

*Dunren Che;*

Database Engineering and Applications Symposium, 2003. Proceedings. Seventi

International , 16-18 July 2003

Page(s): 268 -277

[\[Abstract\]](#) [\[PDF Full-Text \(413 KB\)\]](#) **IEEE CNF**

---

**5 Distributed heterogeneous knowledge data base for control system development and support**

*Atanasova, T.; Nern, H.-J.; Hamalainen, M.; Eldin, H.N.;*

Intelligent Control, 2000. Proceedings of the 2000 IEEE International Symposium on Intelligent Control, 17-19 July 2000

Page(s): 363 -368

[\[Abstract\]](#) [\[PDF Full-Text \(368 KB\)\]](#) **IEEE CNF**

---

**6 A middleware approach for combining heterogeneous data sources integration of generic query and predefined function access**

*Hergula, K.; Harder, T.;*

Web Information Systems Engineering, 2000. Proceedings of the First International Conference on Web Information Systems Engineering, Volume: 1 , 19-21 June 2000

Page(s): 26 -33 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(708 KB\)\]](#) **IEEE CNF**

---

**7 Proceedings of the First International Conference on Web Information Systems Engineering**

Enabling Technologies: Infrastructure for Collaborative Enterprises, 2000. (WETICE 2000). Proceedings. IEEE 9th International Workshops on Enabling Technologies: Infrastructure for Collaborative Enterprises, 14-16 June 2000

[\[Abstract\]](#) [\[PDF Full-Text \(500 KB\)\]](#) **IEEE CNF**

---

**8 Associating and presenting metadata of digital archive objects in virtual spaces as synchronized multimedia content**

*Tanaka, K.; Koiso, K.; Nadamoto, A.;*

Digital Libraries: Research and Practice, 2000 Kyoto, International Conference on Digital Libraries: Research and Practice, 13-16 Nov. 2000

Page(s): 280 -287

[\[Abstract\]](#) [\[PDF Full-Text \(608 KB\)\]](#) **IEEE CNF**

---

**9 Xyleme, a dynamic warehouse for XML data of the Web**

*Abiteboul, S.; Aguilera, V.; Ailleret, S.; Amann, B.; Arambarri, F.; Cluet, S.; Collet, G.; Corona, G.; Ferran, G.; Galland, A.; Hascoet, M.; Kanne, C.-C.; Koechlin, B.; Niniven, D.; Marian, A.; Mignet, L.; Moerkotte, G.; Nguyen, B.; Preda, M.; Rousset, M.;* Database Engineering & Applications, 2001 International Symposium on Database Engineering & Applications, 16-18 July 2001

Page(s): 3 -8

[\[Abstract\]](#) [\[PDF Full-Text \(360 KB\)\]](#) **IEEE CNF**

---

**10 Proceedings 2001 International Database Engineering and Application Symposium**

Database Engineering & Applications, 2001 International Symposium on , 16-1 2001

[\[Abstract\]](#) [\[PDF Full-Text \(204 KB\)\]](#) **IEEE CNF**

---

**11 Directions for Web and e-commerce applications security**

*Thuraisingham, B.; Clifton, C.; Gupta, A.; Bertino, E.; Ferrari, E.;*  
Enabling Technologies: Infrastructure for Collaborative Enterprises, 2001. WET 2001. Proceedings. Tenth IEEE International Workshops on , 20-22 June 2001  
Page(s): 200 -204

[\[Abstract\]](#) [\[PDF Full-Text \(408 KB\)\]](#) **IEEE CNF**

---

**12 A generic content-management tool for Web databases**

*Kerer, C.; Kirda, E.; Kurmanowytsch, R.;*  
Internet Computing, IEEE , Volume: 6 Issue: 4 , July-Aug. 2002  
Page(s): 38 -42

[\[Abstract\]](#) [\[PDF Full-Text \(653 KB\)\]](#) **IEEE JNL**

---

**13 Managing heterogeneous ecological data using Morpho**

*Higgins, D.; Berkley, C.; Jones, M.B.;*  
Scientific and Statistical Database Management, 2002. Proceedings. 14th Interr Conference on , 24-26 July 2002  
Page(s): 69 -76

[\[Abstract\]](#) [\[PDF Full-Text \(740 KB\)\]](#) **IEEE CNF**

---

**14 Storing and querying multiversion XML documents using durable node numbers**

*Shu-Yao Chien; Tsotras, V.J.; Zaniolo, C.; Donghui Zhang;*  
Web Information Systems Engineering, 2001. Proceedings of the Second Intern. Conference on , Volume: 1 , 3-6 Dec. 2001  
Page(s): 232 -241 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(990 KB\)\]](#) **IEEE CNF**

---

**15 Remote fieldbus system management with Java and XML**

*Buhler, D.; Kuchlin, W.;*



Industrial Electronics, 2000. ISIE 2000. Proceedings of the 2000 IEEE Internatic  
Symposium on , Volume: 1 , 4-8 Dec. 2000  
Page(s): 1 -6 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(848 KB\)\]](#) **IEEE CNF**

---

1 2 [\[Next\]](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)  
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)  
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2003 IEEE — All rights reserved

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) [Publications/Services](#) [Standards](#) [Conferences](#) [Careers/Jobs](#)**IEEE Xplore**  
RELEASE 1.5Welcome  
United States Patent and Trademark Office[Help](#) [FAQ](#) [Terms](#) [IEEE Peer](#) [Quick Links](#)

→ 56

**Welcome to IEEE Xplore**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

**Tables of Contents**

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

**Search**

- ☐ By Author
- ☐ Basic
- ☐ Advanced

**Member Services**

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

 [Print Format](#)Your search matched **19** of **985444** documents.

A maximum of **19** results are displayed, **15** to a page, sorted by **Relevance** in **descending** order.  
You may refine your search by editing the current search expression or entering a new one the text  
Then click **Search Again**.

  
**Search Again****Results:**Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD****16 An automated client-driven approach to data extraction using an autonomous decentralized architecture***Blake, M.B.; Liguori, P.;*

Autonomous Decentralized Systems, 2001. Proceedings. 5th International Symposium, 26-28 March 2001

Page(s): 311 -318

[\[Abstract\]](#) [\[PDF Full-Text \(556 KB\)\]](#) **IEEE CNF****17 An architecture for adaptively replicating cooperative shared objects***Zhu Jun; Yu Yong;*

Autonomous Decentralized Systems, 2001. Proceedings. 5th International Symposium, 26-28 March 2001

Page(s): 255 -258

[\[Abstract\]](#) [\[PDF Full-Text \(328 KB\)\]](#) **IEEE CNF****18 Proceedings Technology of Object-Oriented Languages and Systems. 38**

Technology of Object-Oriented Languages and Systems, 2001. TOOLS 38. Proceedings. 12-14 March 2001

[\[Abstract\]](#) [\[PDF Full-Text \(160 KB\)\]](#) **IEEE CNF****19 Managing scientific metadata***Jones, M.B.; Berkley, C.; Bojilova, J.; Schildhauer, M.;*

Internet Computing, IEEE, Volume: 5 Issue: 5, Sept.-Oct. 2001

Page(s): 59 -68

[\[Abstract\]](#) [\[PDF Full-Text \(240 KB\)\]](#) **IEEE JNL**

---

[\[Prev\]](#) [1](#) [2](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)  
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)  
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2003 IEEE — All rights reserved